
Flexoelectricity from density-functional perturbation theory

Massimiliano Stengel^{1,2}

1) *Institut de Ciència de Materials de Barcelona (ICMAB-CSIC)*

2) *ICREA - Institució Catalana de Recerca i Estudis Avançats*

Corresponding author: Massimiliano Stengel (mstengel@icmab.es)

Flexoelectricity describes the electric polarization that is linearly induced by a strain gradient, and is being intensely investigated as a new route to converting mechanical stimulation into electrical signals and vice versa. While several breakthrough experiments have been reported in the past few years, progress on the theoretical front has been comparatively slow. The main difficulty with calculating the flexoelectric response of a crystal is the inherent breakdown of translational periodicity that a strain gradient entails, which at first sight questions the very applicability of traditional plane-wave pseudopotential methods.

In this talk I will show how these obstacles can be overcome by combining density-functional perturbation theory with generalized coordinate transformations, gaining access to the full microscopic response (in terms of electronic charge density, polarization and atomic displacements) of a crystal or nanostructure to an arbitrary deformation field. As a practical demonstration, I will present results on the full flexoelectric response of SrTiO₃, including atomic relaxations and surface effects. I will show that, upon bending a macroscopically thick SrTiO₃ slab, one obtains a positive or a negative voltage depending on the lattice termination, which points to a dramatic dependence of the flexoelectric effect on the details of the sample surface.